

1/9

BEST AVAILABLE COPY




2/9




Atty. Ref. No.: 7287-000017

3/9



4/9



Using above dialog user adds a new device. Then select the device and go to the configure parameter dialog as displayed below.




Fig.5

Managara karantara k

•)		
Configure l	Device Parameters				×
- Node Inf	0	The State of the state of	"三大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大大		
,	Mac ID # 0				
1	de Name:: Node0			· 医二种 1000 1000 1000 1000 1000 1000 1000 10	
					T-44.
Product Names WPONIDNA					
	Vendor: Culler Hammer F	roducts :			
Dev	Device Type: Motor Starter				多字形分词
	Hevision 377				
	· 21 - 4 - 1 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2				
	EDS files Advantage Star	ter DeviceNet.	Adapter		
Paramete					
Paramete	er Group [All Parameters]				
Num:	Name:	₩ SE Midde	الله المالية ا		
	Revision	TIESTROPE			
2	Max Instance	RO	` 1	A STATE OF THE PROPERTY OF THE PARTY OF THE	
3	Vendor Id	RO	Cutler-Hammer		
報 4	Device Type	RO	22		
5	Product Code	RO	200	. •	
6 7	Serial Number	R0	0		
8	Config.Consist.Value Fault_Value	RO RO	0 None		300
9	Revision	RO	2	• -	
			A TOTAL CONTRACT OF THE CONTRA	· To therefore states a complete a com-	
Get	All Get Selected 19 4			Modify Paramete	
				Name of the Party	TOTAL CO
		ise	Hebitica in		
•	· · · · · · · ·				

Title: COMPUTER-IMPLEMENTED METHOD AND APPAR S FOR THE CLONING OF INPUT/OUTPUTEVICES Inventor: Kurudi H. Muralidhar et al.

Atty. Ref. No.: 7287-000017

6/9




Fig. 7

APPARAT FOR THE CLONING OF INPUT/OUTPUT EVICES Inventor: Kurudi H. Muralidhar et al.

ventor: Kurudi H. Muralidhar et Atty. Ref. No.: 7287-000017

7/9




FIG. 8

TOSOSO ZESSIOSO

Atty. Ref. No.: 7287-000017

8/9

Browse for Windows CE Station Following is a list of "Think & Do CE Runtime(s)" currently available on the network Re-scan 00 E0 62 80 04 75 00 E0 62 80 02 3D 00 E0 62 80 01 66 00 E0 62 80 06 1A 192.168.2.11 HunterWinPLC Mac Address Reset using [PX... 192.168.2.18 JimPLC2 192.168.2.31 JimPLC 192.168.2.45 WINPLC1-Ovidiu Configure... Hunter's WinPLC for use in testing his thesis application PROJect MANager (a.k.a. ProjMan) as well as Live! & Studio! JimS III - Fast WinPLC Ovidiu's WinPLC JimS III - Ready to Go Embedded Controll With More Serial Ports IOTE: 100MHz WinPLC with hardware Select Description ξ Неф

FIG. 9

 iventor: Kurudi H. Muralidhar et Atty. Ref. No.: 7287-000017

9/9




FIG. 10

TOSOBO KESSESO

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.